NFRC Product Certification Authorization Report

Manufacturer: Elephant Windows and Doors Inc
Street: 16510 Los Gatos Almaden Rd
City/State/Zip: Los Gatos, CA 95032
Print Date: 12/24/2025

Product Series: LD-X76 Tilt Turn
Product Type: DATT
Air Leakage: ≤ 0.3

Simulation Lab: SATI
Sim. Report #: N2850.03-116-45 R1
Sim. Report Date: 06/01/2023
Test Date: 09/08/2022

Initial Cert. Date: 06/13/2023
Re-Certification Date:
Revised Date: 01/01/1970
Expiration Date: 09/08/2027

CPD Number: ELE-M-10 — **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00001-00001	XENE0185 / ARG90 / CLR (5MM/5MM) - 33MM IG	AT/AT	2	0.136(2)	0.875	TS-D	Fill 1: ARG(90/10)	N		CL	0.36	0.45	0.56	57
	00001-00002	XENE0185 / ARG90 / CLR (5MM/5MM) - 33MM IG	AT/AT	2	0.136(2)	0.875	TS-D	Fill 1: ARG(90/10)	G	0.75	CL	0.36	0.41	0.50	57
	00002-00001	XETN0187 / ARG90 / SB60 (6MM/6MM) - 33MM IG	AT/AT	2	0.094(2), 0.035(3)	0.787	TS-D	Fill 1: ARG(90/10)	N		CL	0.33	0.32	0.48	59
	00002-00002	XETN0187 / ARG90 / SB60 (6MM/6MM) - 33MM IG	AT/AT	2	0.094(2), 0.035(3)	0.787	TS-D	Fill 1: ARG(90/10)	G	0.75	CL	0.33	0.29	0.43	59
	00003-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.136(2), 0.136(4)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.27	0.38	0.49	62
	00004-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.136(2), 0.136(4)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.36	0.34	0.43	54
	00005-00001	OPTILITE S1 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.076(2), 0.136(4), 0.136(6)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.25	0.35	0.48	57
	00006-00001	OPTILITE S1 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.076(2), 0.136(4), 0.136(6)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.30	0.31	0.42	40
	00007-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.136(2), 0.136(4)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.27	0.38	0.49	62
	00008-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.136(2), 0.136(4)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.36	0.34	0.43	54
	00009-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.136(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.25	0.38	0.49	62
	00010-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.136(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.26	0.34	0.43	62
	00011-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.136(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.38	0.34	0.43	45

NFRC Product Certification Authorization Report

Manufacturer: Elephant Windows and Doors Inc
Street: 16510 Los Gatos Almaden Rd
City/State/Zip: Los Gatos, CA 95032
Print Date: 12/24/2025

Product Series: LD-X76 Tilt Turn
Product Type: DATT
Air Leakage: ≤ 0.3

Simulation Lab: SATI
Sim. Report #: N2850.03-116-45 R1
Sim. Report Date: 06/01/2023
Test Date: 09/08/2022

Initial Cert. Date: 06/13/2023
Re-Certification Date:
Revised Date: 01/01/1970
Expiration Date: 09/08/2027

CPD Number: ELE-M-10 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00012-00001	OPTILITE S1 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2), 0.136(4), 0.136(6)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.23	0.35	0.48	61
	00013-00001	OPTILITE S1 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2), 0.136(4), 0.136(6)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.24	0.31	0.42	61
	00014-00001	OPTILITE S1 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2), 0.136(4), 0.136(6)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.30	0.31	0.42	34
	00015-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.136(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.25	0.38	0.49	62
	00016-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.136(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.26	0.34	0.43	62
	00017-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.136(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.38	0.34	0.43	45
	00018-00001	OPTILITE S1 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2), 0.136(4), 0.136(6)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.23	0.35	0.48	61
	00019-00001	OPTILITE S1 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2), 0.136(4), 0.136(6)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.24	0.31	0.42	61
	00020-00001	OPTILITE S1 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2), 0.136(4), 0.136(6)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.30	0.31	0.42	34
	00021-00001	CEV11-55T / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.05(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.24	0.18	0.29	62
	00022-00001	CEV11-55T / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.05(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.25	0.17	0.26	62
	00023-00001	CEV11-55T / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.05(2), 0.136(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.37	0.17	0.26	46

NFRC Product Certification Authorization Report

Manufacturer: Elephant Windows and Doors Inc
Street: 16510 Los Gatos Almaden Rd
City/State/Zip: Los Gatos, CA 95032
Print Date: 12/24/2025

Product Series: LD-X76 Tilt Turn
Product Type: DATT
Air Leakage: ≤ 0.3

Simulation Lab: SATI
Sim. Report #: N2850.03-116-45 R1
Sim. Report Date: 06/01/2023
Test Date: 09/08/2022

Initial Cert. Date: 06/13/2023
Re-Certification Date:
Revised Date: 01/01/1970
Expiration Date: 09/08/2027

CPD Number: ELE-M-10 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00024-00001	SB60 / ARG90 / CLR (6MM/6MM) - 33MM IG	AT/AT	2	0.035(2), 0.035(4)	0.354	TS-D	Fill 1: ARG(90/10)	N		CL	0.29	0.28	0.47	48
	00024-00002	SB60 / ARG90 / CLR (6MM/6MM) - 33MM IG	AT/AT	2	0.035(2), 0.035(4)	0.354	TS-D	Fill 1: ARG(90/10)	G	0.75	CL	0.29	0.25	0.41	48
	00025-00001	SB60 / ARG90 / XENE0185 / ARG90 / CLR (6MM/5MM/5MM) - 33MM IG	AT/AT	3	0.035(2), 0.136(4)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.26	0.26	0.44	62
	00026-00001	SB60 / ARG90 / XENE0185 / ARG90 / CLR (6MM/5MM/5MM) - 33MM IG	AT/AT	3	0.035(2), 0.136(4)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.35	0.23	0.39	54
	00027-00001	SB60 / ARG90 / OPTILITE S1 / ARG90 / CLR (6MM/5MM/5MM) - 39MM IG	AT/AT	3	0.035(2), 0.076(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.24	0.25	0.45	62
	00028-00001	SB60 / ARG90 / OPTILITE S1 / ARG90 / CLR (6MM/5MM/5MM) - 39MM IG	AT/AT	3	0.035(2), 0.076(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.25	0.23	0.40	62
	00029-00001	SB60 / ARG90 / OPTILITE S1 / ARG90 / CLR (6MM/5MM/5MM) - 39MM IG	AT/AT	3	0.035(2), 0.076(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.36	0.23	0.40	45
	00030-00001	WT172 / ARG90 / OPTILITE S1 / ARG90 / CLR (6MM/5MM/5MM) - 39MM IG	AT/AT	3	0.034(2), 0.076(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.24	0.20	0.41	62
	00031-00001	WT172 / ARG90 / OPTILITE S1 / ARG90 / CLR (6MM/5MM/5MM) - 39MM IG	AT/AT	3	0.034(2), 0.076(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.25	0.18	0.36	62
	00032-00001	WT172 / ARG90 / OPTILITE S1 / ARG90 / CLR (6MM/5MM/5MM) - 39MM IG	AT/AT	3	0.034(2), 0.076(4)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.36	0.18	0.36	45
	00033-00001	SB60 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.035(2)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.29	0.27	0.46	62
	00034-00001	SB60 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.035(2)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.37	0.24	0.41	53
	00035-00001	LAMI-SB60 / ARG90 / SB60 (5MM|090 SGP|5MM/5MM) - 39MM IG	AT/AT	2	0.035(2), 0.035(4)	0.354	TS-D	Fill 1: ARG(90/10)	N		CL	0.32	0.26	0.44	61
	00035-00002	LAMI-SB60 / ARG90 / SB60 (5MM|090 SGP|5MM/5MM) - 39MM IG	AT/AT	2	0.035(2), 0.035(4)	0.354	TS-D	Fill 1: ARG(90/10)	G	0.75	CL	0.32	0.24	0.39	61
	00036-00001	LAMI-SB70 / ARG90 / SB70 (6MM|060 SGP|6MM/6MM) - 39MM IG	AT/AT	2	0.018(2), 0.018(3)	0.787	TS-D	Fill 1: ARG(90/10)	N		CL	0.32	0.19	0.37	61
	00036-00002	LAMI-SB70 / ARG90 / SB70 (6MM|060 SGP|6MM/6MM) - 39MM IG	AT/AT	2	0.018(2), 0.018(3)	0.787	TS-D	Fill 1: ARG(90/10)	G	0.75	CL	0.32	0.18	0.33	61

NFRC Product Certification Authorization Report

Manufacturer: Elephant Windows and Doors Inc
Street: 16510 Los Gatos Almaden Rd
City/State/Zip: Los Gatos, CA 95032
Print Date: 12/24/2025

Product Series: LD-X76 Tilt Turn
Product Type: DATT
Air Leakage: ≤ 0.3

Simulation Lab: SATI
Sim. Report #: N2850.03-116-45 R1
Sim. Report Date: 06/01/2023
Test Date: 09/08/2022

Initial Cert. Date: 06/13/2023
Re-Certification Date:
Revised Date: 01/01/1970
Expiration Date: 09/08/2027

CPD Number: ELE-M-10 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00037-00001	OPTILITE S1 / ARG90 / OPTILITE S1 (5MM|090 SGP|5MM/5MM) - 39MM IG	AT/AT	2	0.076(2), 0.076(3)	0.875	TS-D	Fill 1: ARG(90/10)	N		CL	0.33	0.39	0.56	60
	00037-00002	OPTILITE S1 / ARG90 / OPTILITE S1 (5MM|090 SGP|5MM/5MM) - 39MM IG	AT/AT	2	0.076(2), 0.076(3)	0.875	TS-D	Fill 1: ARG(90/10)	G	0.75	CL	0.33	0.35	0.50	60
	00038-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.136(2), 0.136(4), 0.136(6)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.25	0.37	0.47	56
	00039-00001	XENE0185 / ARG90 / XENE0185 / ARG90 / XENE0185 (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.136(2), 0.136(4), 0.136(6)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.30	0.33	0.42	40
	00040-00001	XENE0185 / ARG90 / OPTILITE S1 / ARG90 / XENE0185 (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.136(2), 0.076(4), 0.136(6)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.25	0.35	0.48	57
	00041-00001	XENE0185 / ARG90 / OPTILITE S1 / ARG90 / XENE0185 (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.136(2), 0.076(4), 0.136(6)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.30	0.31	0.42	40
	00042-00001	OPTISOLAR D80 / ARG90 / CLR (6MM/6MM) - 32MM IG	AT/AT	2	0.072(2)	0.787	TS-D	Fill 1: ARG(90/10)	N		CL	0.34	0.28	0.50	58
	00042-00002	OPTISOLAR D80 / ARG90 / CLR (6MM/6MM) - 32MM IG	AT/AT	2	0.072(2)	0.787	TS-D	Fill 1: ARG(90/10)	G	0.75	CL	0.34	0.25	0.44	58
	00043-00001	YNE0168 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.031(2)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.29	0.22	0.39	62
	00044-00001	YNE0168 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 33MM IG	AT/AT	3	0.031(2)	0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.37	0.20	0.35	53
	00045-00001	SB70 / ARG90 / SB70 / ARG90 / PLANIBEL G (6MM/6MM/6MM) - 42MM IG	AT/AT	3	0.018(2), 0.018(4), 0.168(6)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.22	0.15	0.31	62
	00046-00001	SB70 / ARG90 / SB70 / ARG90 / PLANIBEL G (6MM/6MM/6MM) - 42MM IG	AT/AT	3	0.018(2), 0.018(4), 0.168(6)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.23	0.14	0.28	62
	00047-00001	SB70 / ARG90 / SB70 / ARG90 / SB70 / ARG90 / YEA (5MM/5MM/5MM/5MM) - 47MM IG	AT/AT	4	0.018(2), 0.018(4), 0.018(6), 0.147(8)	0.344,0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10) , Fill 3: ARG(90/10)	N		CL	0.20	0.13	0.24	61
	00048-00001	SB70 / ARG90 / SB70 / ARG90 / SB70 / ARG90 / YEA (5MM/5MM/5MM/5MM) - 47MM IG	AT/AT	4	0.018(2), 0.018(4), 0.018(6), 0.147(8)	0.344,0.344,0.344	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10) , Fill 3: ARG(90/10)	G	0.75	CL	0.26	0.12	0.21	47

NFRC Product Certification Authorization Report

Manufacturer: Elephant Windows and Doors Inc
Street: 16510 Los Gatos Almaden Rd
City/State/Zip: Los Gatos, CA 95032
Print Date: 12/24/2025

Product Series: LD-X76 Tilt Turn
Product Type: DATT
Air Leakage: ≤ 0.3

Simulation Lab: SATI
Sim. Report #: N2850.03-116-45 R1
Sim. Report Date: 06/01/2023
Test Date: 09/08/2022

Initial Cert. Date: 06/13/2023
Re-Certification Date:
Revised Date: 01/01/1970
Expiration Date: 09/08/2027

CPD Number: ELE-M-10 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00049-00001	OPTILITE S1.16 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.28	0.38	0.51	62
	00050-00001	OPTILITE S1.16 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.29	0.34	0.46	62
	00051-00001	OPTILITE S1.16 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.076(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.40	0.34	0.46	45
	00052-00001	OPTILITE US1.16 / ARG90 / CLR (8MM/8MM) - 34MM IG	AT/AT	2	0.07(2)	0.719	TS-D	Fill 1: ARG(90/10)	N		CL	0.34	0.45	0.58	60
	00052-00002	OPTILITE US1.16 / ARG90 / CLR (8MM/8MM) - 34MM IG	AT/AT	2	0.07(2)	0.719	TS-D	Fill 1: ARG(90/10)	G	0.75	CL	0.34	0.40	0.51	60
	00053-00001	CES11-80 / ARG90 / CLR / ARG90 / CLR (6MM/5MM/5MM) - 40MM IG	AT/AT	3	0.13(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.29	0.36	0.47	62
	00054-00001	CES11-80 / ARG90 / CLR / ARG90 / CLR (6MM/5MM/5MM) - 40MM IG	AT/AT	3	0.13(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.30	0.33	0.41	62
	00055-00001	CES11-80 / ARG90 / CLR / ARG90 / CLR (6MM/5MM/5MM) - 40MM IG	AT/AT	3	0.13(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.40	0.33	0.41	44
	00056-00001	YNE0168 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.031(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	N		CL	0.27	0.22	0.39	62
	00057-00001	YNE0168 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.031(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	G	0.75	CL	0.28	0.20	0.35	62
	00058-00001	YNE0168 / ARG90 / CLR / ARG90 / CLR (5MM/5MM/5MM) - 39MM IG	AT/AT	3	0.031(2)	0.470,0.470	TS-D	Fill 1: ARG(90/10) , Fill 2: ARG(90/10)	S	0.75	CL	0.39	0.20	0.35	45

Baseline Information

Test Lab	Test Date	Test Size	Tested U-Value	Standard U-Value	Test Report Number
TATI	**09/08/2022**	1200 mm x 1502 mm	0.239	0.229	N2851.01-116-46

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature: 